



City of Umatilla

Building Division

700 6th St

Umatilla, OR 97882

epermitting@umatilla-city.org

(541) 922-3226 x114 Fax (541) 922-5758

HIGH-EFFICIENCY INTERIOR LIGHTING SYSTEMS

Permit No.: _____ Jurisdiction _____

Site Address: _____

Subdivision/Lot _____

and/or

Map and Tax Lot: _____

By my signature below, I certify that a minimum of fifty (50) percent of the permanently installed lighting fixtures in the above-mentioned building have been installed with compact or linear fluorescent, or a lighting source that has a minimum efficacy of 40 lumens per input watt. (Oregon Residential Specialty Code N1107.2)¹

Signed: _____ Date: _____
Owner/General Contractor/Authorized Agent

Print Name: _____

¹ORSC Section N1107.2. High-efficiency interior lighting systems. A minimum of fifty (50) percent of the permanently installed lighting fixtures shall be installed with compact or linear fluorescent, or a lighting source that has a minimum efficacy of 40 lumens per input watt. Screw-in compact fluorescent lamps comply with this requirement.

The building official shall be notified in writing at the final inspection that a minimum of fifty percent of the permanently installed lighting fixtures are compact or linear fluorescent, or a minimum efficacy of 40 lumens per input watt.